



DECISION NOTICE **COPY CONSENT**

Application Ref: BR/48/99/

1 To Addressee

S & D Ltd
Victory House
30 Kingsway
London
WC2B 6EX

2 Site Address

Butlins Southcoast World
Upper Bognor Road
Bognor Regis

3 Description of Development

Re-cladding existing check in building with themed cladding and erection of an acoustic screen adjacent to the funfair and lake

4 In pursuance of their powers under this Act and related Orders and Regulations the Council PERMIT this development to be carried out in accordance with the application and plan and subject to compliance with the conditions specified.

CONDITION 1 The funfair shall only be operated between 0900 and 2100 hours each day.

Reason: In the interests of residential amenity.

CONDITION 2 Noise resulting from activities and sound reinforcement equipment associated with the funfair shall not exceed a level of 5 dBA above the existing background sound level at a point one metre external to any noise sensitive premises. Noise levels shall be measured as a 15 minute LAeq and the background sound level as an LA90.

Reason: In the interests of residential amenity.

Head of Planning Services
Arun District Council
The Arun Civic Centre
Maltravers Road
Littlehampton
West Sussex BN17 5LF

Case Officer: Mr K Wheway

23rd April 1999

Decision Notice Issued:

IT IS IMPORTANT THAT YOU READ THE NOTES ATTACHED TO THIS DOCUMENT

